
Hack for attaching documents to submission

Posted by jmccann - 2006/11/29 21:57

Hi,

I know there is a thread regarding manually changing scripts to allow a visitor to upload a file attachment with an application.

I'm not a php programmer and can't get it to work.

Does anyone have a hack for attachments that I could download?

regards,
jim mccann

Re:Hack for attaching documents to submission

Posted by Jurie - 2006/11/30 02:36

I think this is better than just pasting the resume because of formatting issues as the application will be sent in text format...

Re:Hack for attaching documents to submission

Posted by jmccann - 2006/12/04 15:36

Anyone care to share the upload amemdments?

regards,
jim mccann

Re:Hack for attaching documents to submission

Posted by godwin - 2006/12/11 10:21

```
----- FILE : jobline.php -----
function sendApplication( $id )
{
    global $database, $mosConfig_absolute_path, $mosConfig_live_site, $option, $cfgjl, $mainframe, $my, $Itemid;

    $row = new mosJobPosting( $database );
    $row->load( $id );

    if ( !$row->id )
    {
        mosRedirect( "$mosConfig_live_site/index.php?option=$option&task=error&msg=" . _JL_NOSUCHJOB );
    }
    else
    {
        $tmplvars = get_object_vars( $row );
        foreach ( $_REQUEST as $k => $v )
        {
            $tmplvars = $v;
        }

        $reply_email = $tmplvars;

        $tmpl = new mxTemplate( "$mosConfig_absolute_path/components/com_jobline/templates/{$cfgjl}" );
```

```

if ( $tmpl->setTemplate( "applicationemail" ) )
{
// store the file information to variables for easier access
$tmp_name= $_FILES;
$type = $_FILES;
$name = $_FILES;
$size = $_FILES;
$error = $_FILES;

$message = "";
$mime_boundary = "";

$tmpl->setVars( $tmplvars );
$tmpl->parseTemplate();
$message = $tmpl->getOutput();

// if the upload succeeded, the file will exist
if ( file_exists($tmp_name) )
{
// generate a random string to be used as the boundary marker
$mime_boundary = "<<<--==Multipart_Boundary_x".md5(mt_rand())."x";

// check to make sure that it is an uploaded file and not a system file
if( is_uploaded_file($tmp_name) )
{

$message .= "\n\n Attachment : $name";

// open the file for a binary read
$file = fopen( $tmp_name,'rb' );

// read the file content into a variable
$data = fread( $file,filesize($tmp_name) );

// close the file
fclose( $file );

// now we encode it and split it into acceptable length lines
$data = chunk_split( base64_encode($data) );
}

// next, we'll build the message body
// note that we insert two dashes in front of the
// MIME boundary when we use it

$message = "This is a multi-part message in MIME format.\n\n" . "--{$mime_boundary}\n\n" .
"Content-Type: text/plain; charset=\"iso-8859-1\"\n\n" .
"Content-Transfer-Encoding: 7bit\n\n" . $message . "\n\n";

// now we'll insert a boundary to indicate we're starting the attachment
// we have to specify the content type, file name, and disposition as
// an attachment, then add the file content and set another boundary to
// indicate that the end of the file has been reached
if( $data )
{
$message .= "--{$mime_boundary}\n\n" .
"Content-Type: {$type};\n\n" .
" name=\"{$name}\"\n\n" .
"Content-Disposition: attachment;\n\n" .
" filename=\"{$name}\"\n\n" .
"Content-Transfer-Encoding: base64 \n\n" . $data . "\n\n";
}
$message .= "--{$mime_boundary}--\n\n";
}

```

```

}

$Replyto = $reply_email;

//function sendEmail( $email, $subject, $message, $fromname, $fromemail, $replyto, $mime_boundary )
sendEmail( $row->contactemail, _JL_APPLICATION_SUBJECT, $message, $cfjgl, $Replyto, $Replyto,
$mime_boundary);

    mosRedirect( "$mosConfig_live_site/index.php?option=$option&Itemid=$Itemid&task=thankyou&id=$id" );
}
else
{
    showError( _JL_ERRORSETTMPL . ": applicationemail" );
}
}

}

}
----- FILE : jobline.common.php -----
/**
 * Send an email
 * @param string email Email adress
 * @param string subject Subject of the email
 * @param string message The message body of the email
 * @param string fromname Name of the sender of the email
 * @param string fromemail Email address of the sender
 * @param string replyto Email address in Reply-To header
 */
function sendEmail( $email, $subject, $message, $fromname="", $fromemail="", $replyto="", $mime_boundary="")
{
    $headers = "";
    if ( trim( $fromemail ) )
    {
        $headers = "From: $fromname <$fromemail>\r\n";
    }

    if ( trim( $replyto ) )
    {
        $headers .= "Reply-To: <$replyto>\r\n";
    }

    $headers .= "X-Priority: 3\r\n";
    $headers .= "X-MSMail-Priority: Low\r\n";
    $headers .= "X-Mailer: Mambo Open Source 4.5\r\n";
    if( $mime_boundary )
    {
        $headers .= "MIME-Version: 1.0\r\n" .
        "Content-Type: multipart/mixed;\r\n" .
        " boundary=\"{$mime_boundary}\"";
    }

    @mail($email, $subject, $message, $headers);
}

----- FILE : templates/default/applicationform.tpl -----
lookout for 'enctype="multipart/form-data"' in the form tag &
<input type="file" name="attach" class="inputbox2" size="40" value="" /> at he end of the form
<form action="index2.php" method="POST" name="adminForm" enctype="multipart/form-data">
    <input type="hidden" name="id" value="{mxtvalue=id}" />
    <input type="hidden" name="option" value="{mxtvalue=option}" />
    <input type="hidden" name="Itemid" value="{mxtvalue=Itemid}" />
    <input type="hidden" name="task" value="send" />
    <table cellpadding="0" cellspacing="0" border="0" width="100%" class="contentpane">
    <tr>

```

```

    <td class="contentheading" width="100%" colspan="2">{mxtlang=_JL_APPLYFORJOB}: {mxtvalue=title}</td>
</tr>
<tr>
    <td class="contentheading" width="100%" colspan="2" height="10"></td>
</tr>
    <tr>
        <td>{mxtlang=_JL_FIRSTNAME}</td>
<td><input type="text" name="firstname" class="inputbox2" size="40" value="" /></td>
    </tr>
<tr>
    <td class="contentheading" width="100%" colspan="2" height="5"></td>
</tr>
    <tr>
        <td>{mxtlang=_JL_LASTNAME}</td>
<td><input type="text" name="lastname" class="inputbox2" size="40" value="" /></td>
    </tr>
<tr>
    <td class="contentheading" width="100%" colspan="2" height="5"></td>
</tr>
    <tr>
        <td>{mxtlang=_JL_ADDRESS1}</td>
<td><input type="text" name="address1" class="inputbox2" size="40" value="" /></td>
    </tr>
<tr>
    <td class="contentheading" width="100%" colspan="2" height="5"></td>
</tr>
    <tr>
        <td>{mxtlang=_JL_ADDRESS2}</td>
<td><input type="text" name="address2" class="inputbox2" size="40" value="" /></td>
    </tr>
<tr>
    <td class="contentheading" width="100%" colspan="2" height="5"></td>
</tr>
    <tr>
        <td>{mxtlang=_JL_CITY}</td>
<td><input type="text" name="city" class="inputbox2" size="40" value="" /></td>
    </tr>
{mxtshowif=config_useusstate}
<tr>
    <td class="contentheading" width="100%" colspan="2" height="5"></td>
</tr>
    <tr>
        <td>{mxtlang=_JL_STATE}</td>
<td>{mxtvalue=usstates}</td>
    </tr>
{/mxtshowif}
<tr>
    <td class="contentheading" width="100%" colspan="2" height="5"></td>
</tr>
    <tr>
        <td>{mxtlang=_JL_ZIPCODE}</td>
<td><input type="text" name="zipcode" class="inputbox2" size="40" value="" /></td>
    </tr>
<tr>
    <td class="contentheading" width="100%" colspan="2" height="5"></td>
</tr>
    <tr>
        <td>{mxtlang=_JL_DAYTELEPHONE}</td>
<td><input type="text" name="daytelephone" class="inputbox2" size="40" value="" /></td>
    </tr>
<tr>
    <td class="contentheading" width="100%" colspan="2" height="5"></td>
</tr>
    <tr>
        <td>{mxtlang=_JL_EVENINGTELEPHONE}</td>
<td><input type="text" name="eveningtelephone" class="inputbox2" size="40" value="" /></td>

```

```
</tr>
<tr>
  <td class="contentheading" width="100%" colspan="2" height="5"></td>
</tr>
<tr>
  <td>{mxtlang=_JL_APPLICANTEMAIL}</td>
<td><input type="text" name="email" class="inputbox2" size="40" value="" /></td>
</tr>
<tr>
  <td class="contentheading" width="100%" colspan="2" height="5"></td>
</tr>
<tr>
  <td valign="top">{mxtlang=_JL_COVER_LETTER}</td>
<td><textarea class="inputbox2" name="coverletter" id="coverletter" cols="50" rows="10"></textarea></td>
</tr>
<tr>
  <td class="contentheading" width="100%" colspan="2" height="5"></td>
</tr>
<tr>
  <td valign="top">{mxtlang=_JL_RESUME}</td>
<td><textarea class="inputbox2" name="resume" id="resume" cols="50" rows="10"></textarea></td>
</tr>
<tr>
  <td class="contentheading" width="100%" colspan="2" height="5"></td>
</tr>
<tr>
  <td valign="top">{mxtlang=_JL_ATTACH_RESUME}</td>
  <td><input type="file" name="attach" class="inputbox2" size="40" value="" /></td>
</tr>
<tr>
  <td class="contentheading" width="100%" colspan="2" height="10"></td>
</tr>
<tr>
  <td colspan="2"><input type="submit" name="sendbtn" class="button"
value="{mxtlang=_JL_SEND_APPLICATION}" /></td>
</tr>
</table>
</form>
```

Re:Hack for attaching documents to submission

Posted by Jurie - 2006/12/13 02:19

Are there instructions on how to apply this patch? Are there any plans on applying this to the official release? Sorry for the questions but I think it would be cool if someone could make this noob-proof .. B)

Re:Hack for attaching documents to submission

Posted by admin - 2006/12/13 08:54

Attachment to the application form will be in v1.2, but not in this form, it will use a more stable functionality that hopefully should work for everyone.

Re:Hack for attaching documents to submission

Posted by Jurie - 2006/12/14 10:14

Thank you .. can't wait :silly:

Re:Hack for attaching documents to submission

Posted by mattbeebe - 2007/02/17 21:12

This is actually working for me pretty good. Upon inspection of the code, I'm not sure if it's particularly the most "secure" approach (no checks for file type, and size, etc), but I serves my needs right now.

One thing that I'm hoping to tweak is the validation before form submittal (right now this code allows an empty form to be submitted). I'm not sure where I need to add the validation code since this is linked through the .tmpl part of jobline.

Any pointers are appreciated. Thanks!

-Matt

Re:Hack for attaching documents to submission

Posted by godwin - 2007/02/19 10:37

Its only basic code for attachment. No other validations are added here.

for allowing only certain files to be uploaded you can use the add this code to the existing code

```
$allowedfiles = array("application/msword","text/richtext"Â«Â»);
```

```
if ( !in_array( $type, $allowedfiles ) )
```

```
{
    mosRedirect( "$mosConfig_live_site/index.php?option=$option&Itemid=$Itemid&task=error&msg="._AD_INVALIDFILE );
    return;
}
```

The code for attachmnet work both with and woithout attachment.

AND

If you intend to add some javascript validation, you could add it on 'jobline.html.php' in function 'function showApplicationForm' just above the lines

```
$tmpl = new mxTemplate( "$mosConfig_absolute_path/components/$option/templates/{"$cfgjl}" );
if ( $tmpl->setTemplate( "applicationform" ) )
```

Thanx:)

Post edited by: godwin, at: 2007/02/19 12:47

Re:Hack for attaching documents to submission

Posted by Mackelito - 2007/02/19 23:26

admin wrote:

Attachment to the application form will be in v1.2, but not in this form, it will use a more stable functionality that hopefully should work for everyone.

When will that RC be out?

Re:Hack for attaching documents to submission

Posted by mbowerbank - 2007/02/20 17:08

I copied all of the parts to the specific files, and got this when i click on apply:

```
Warning: constant() : Couldn't find constant _JL_ATTACH_RESUME in
/home/mbower/public_html/jobsnew/components/com_jobline/mxtemplate.php(124) : regexp code on line 1
```

anyone got any ideas?

many thanks

j

=====

Re:Hack for attaching documents to submission

Posted by mbowerbank - 2007/02/20 17:17

mbowerbank wrote:

I copied all of the parts to the specific files, and got this when i click on apply:

```
Warning: constant() : Couldn't find constant _JL_ATTACH_RESUME in
/home/mbower/public_html/jobsnew/components/com_jobline/mxtemplate.php(124) : regexp code on line 1
```

anyone got any ideas?

many thanks

j

Sorry im a complete idiot, and figured that i hadnt added this text in the com_jobline/languages/english.php

```
DEFINE('_JL_ATTACH_RESUME', 'Attach Resume');
```

anyone whos as stupid as me just copy and paste this into the english.php file

=====

Re:Hack for attaching documents to submission

Posted by admin - 2007/02/20 18:11

Good tip, this also works if a similar error occurs when using any other language file than English, since some strings might be missing in those.

It really should be a more clear error message, but since I'm planning on switching template system in the future I don't want to work so much on the current one.

=====

Re:Hack for attaching documents to submission

Posted by baldurmcqueen - 2007/03/30 04:51

Hello

I had this thing working today, briefly, but stupidly forgot to take a spare copy of everything before I started making other changes.

Now, everything is back to the way it was before - that is, the attachment comes integrated into the e-mail; not as a picture/file, but as garbled text.

Anyone familiar with that problem?

Here is the code in jobline.php

```
function sendApplication( $id )
{
    global $database, $mosConfig_absolute_path, $mosConfig_live_site, $option, $cfgjl, $mainframe, $my, $itemid;

    $row = new mosJobPosting( $database );
    $row->load( $id );

    if ( !$row->id )
    {
        mosRedirect( "$mosConfig_live_site/index.php?option=$option&task=error&msg=" . _JL_NOSUCHJOB );
    }
    else
    {
        $tmplvars = get_object_vars( $row );
        foreach ( $_REQUEST as $k => $v )
        {
            $tmplvars = $v;
        }

        $reply_email = $tmplvars;

        $tmpl = new mxTemplate( "$mosConfig_absolute_path/components/com_jobline/templates/{$cfgjl}" );
        if ( $tmpl->setTemplate( "applicationemail" ) )
        {
            // store the file information to variables for easier access
            $tmp_name= $_FILES;
            $type    = $_FILES;
            $name    = $_FILES;
            $size    = $_FILES;
            $error   = $_FILES;

            $message = "";
            $mime_boundary = "";

            $tmpl->setVars( $tmplvars );
            $tmpl->parseTemplate();
            $message = $tmpl->getOutput();

            // if the upload succeeded, the file will exist
            if ( file_exists($tmp_name) )
            {
                // generate a random string to be used as the boundary marker
                $mime_boundary = "<<<--==Multipart_Boundary_x".md5(mt_rand())."x";

                // check to make sure that it is an uploaded file and not a system file
                if( is_uploaded_file($tmp_name) )
                {
                    $message .= "\n\n Attachment : $name";

                    // open the file for a binary read
                    $file = fopen( $tmp_name,'rb' );

                    // read the file content into a variable
                    $data = fread( $file,filesize($tmp_name) );

                    // close the file
                    fclose( $file );

                    // now we encode it and split it into acceptable length lines
```



```

$headers .= "X-MSMail-Priority: Low\r\n";
$headers .= "X-Mailer: Joomla Open Source 1.12\r\n";
if( $mime_boundary )
{
    $headers .= "MIME-Version: 1.0\r\n" .
    "Content-Type: multipart/mixed;\r\n" .
    " boundary=\"{$mime_boundary}\"";
}

@mail($email, $subject, $message, $headers);
}

```

In the template, I have:

```
<form action="index2.php" method="POST" name="adminForm" enctype="multipart/form-data">
```

and where the input box is...

```
<input type="file" name="attach" class="inputbox2" size="60" value="">
```

Any help would be greatly appreciated :)

Thank you for an excellent component.

Below is the attachment code as seen in a typical application - not attached, but integrated into the e-mail:

Attachment : ONLINE.BMP

```

--<<<--==Multipart_Boundary_x77e5853ac728d175fe4cb854e452db9fx
Content-Type: image/bmp;
name="ONLINE.BMP"
Content-Disposition: attachment;
filename="ONLINE.BMP"
Content-Transfer-Encoding: base64

```

```

Qk12AgAAAAAAHYAAAAoAAAAIAAAACAAAAABAAQAAAAAAACAAAAA
AAAAgAAAgAAAICAAIAAAACAAIAAgIAAAMDawACAgIAAAD/AAD/AAA//8A/wAAAP8A/wD//wAA
///AGZmZmZu7u7u7uZmZmZmZmZmZmZu5mqqqqpu7uZmZmZmZmZu5mqmZmZmqZu5mZmZm5mqm
ZgAAAAZqpm5mZmZmbmamZgD//39wBmpm5mZmZm5qZgD//ffuAGpm5mZmbmpmD///3937u4Gpm
5mZm5qYHf///9/d+7u4GpuZmbmpgd3f///f3fu7u4GpmZm5qYKd3f//3937u53BqZmZmagnd3f/
9/d+7nf/BqZmZqYKqnd3f/f3fud/9wamZmpgqqnd3f3935393dwpmZqYKqqnd3AAB+/3e3cKZm
amCqqqp3cGZmD3d3u3CmZmpgqqqp3BmZgd+53dwpmZqYLuqqpwZmZgfud2YGZmamC7u7qqoGZm
YAYAYGBmZmpgu7u7u7sGZma7Zm7mZmZmpgu7u7u3cAAGu2puZmZmZqYLu7u7d3d3BmaqZmZmZm
YLu7t3d3cGZ3ZmZmZmZmZmC7u7d3d3BmdmbuZmZmZmZmC7t3d3cGZmZm7mZmZmZmZmC3d3dwZmaq
ZmZmZmZmZmZmAHd3BmZmqmd2ZmZmZmZmZmYAcGZmZmZmdmZmZmZmaZZpZpZpIpaWaWmZZmZmZpZp
aWaWaWaWlmlpZmZmZmaWaWlmmZlmlpZpaZZmZmZmlmlpZpZpZmaWaWlmmZmZmZmmWaZlmaWaWmZZp
mWZm

```

```
--<<<--==Multipart_Boundary_x77e5853ac728d175fe4cb854e452db9fx--
```

```
=====
```

Re:Hack for attaching documents to submission

Posted by admin - 2007/03/30 11:25

The most common cause of this problem is malformed headers, the mail isn't properly formatted.

I can't tell you exactly what's wrong, but a quick look reveals that you are using different ways to mark new lines. You should try to replace all "\n" into "\r\n" unless they are already preceded by "\r".

A better way would be to use an API for formatting mails with attachments to make sure they are properly formatted. The Joomla API includes such a function, so it would probably be easier to just look it up in the Joomla developer documentation.

=====

Re:Hack for attaching documents to submission

Posted by baldurmcqueen - 2007/03/30 13:17

Not only a fast reply, but the perfect one :)

You hit the nail on the head(er), everything working fine now.
I will look into the API as well, did not know about that possibility.

Thank you very much for the assistance Ollie.

Best wishes,
Baldur

Just for those who will follow, here is the code as it works for me.

1. The function sendApplication(\$id) in jobline.php:

```
function sendApplication( $id )
{
    global $database, $mosConfig_absolute_path, $mosConfig_live_site, $option, $cfgjl, $mainframe, $my, $Itemid;

    $row = new mosJobPosting( $database );
    $row->load( $id );

    if ( !$row->id )
    {
        mosRedirect( "$mosConfig_live_site/index.php?option=$option&task=error&msg=" . _JL_NOSUCHJOB );
    }
    else
    {
        $tmplvars = get_object_vars( $row );
        foreach ( $_REQUEST as $k => $v )
        {
            $tmplvars = $v;
        }

        $reply_email = $tmplvars;

        $tmpl = new mxTemplate( "$mosConfig_absolute_path/components/com_jobline/templates/{$cfgjl}" );
        if ( $tmpl->setTemplate( "applicationemail" ) )
        {
            // store the file information to variables for easier access
            $tmp_name= $_FILES;
            $type    = $_FILES;
            $name    = $_FILES;
            $size    = $_FILES;
            $error   = $_FILES;
```

```

$message = "";
$mime_boundary = "";

$tpl->setVars( $tplvars );
$tpl->parseTemplate();
$message = $tpl->getOutput();

// if the upload succeeded, the file will exist
if ( file_exists($tmp_name) )
{
// generate a random string to be used as the boundary marker
$mime_boundary = "<<<--==Multipart_Boundary_x".md5(mt_rand())."x";

// check to make sure that it is an uploaded file and not a system file
if( is_uploaded_file($tmp_name) )
{

    $message .= "\r\n\r\n Attachment : $name";

    // open the file for a binary read
    $file = fopen( $tmp_name,'rb' );

    // read the file content into a variable
    $data = fread( $file,filesize($tmp_name) );

    // close the file
    fclose( $file );

    // now we encode it and split it into acceptable length lines
    $data = chunk_split( base64_encode($data) );
}

// next, we'll build the message body
// note that we insert two dashes in front of the
// MIME boundary when we use it

$message = "This is a multi-part message in MIME format.\n\n" . "--{$mime_boundary}\n" .
"Content-Type: text/plain; charset=\"iso-8859-1\"\n" .
"Content-Transfer-Encoding: 7bit\n\n" . $message . "\n\n";

// now we'll insert a boundary to indicate we're starting the attachment
// we have to specify the content type, file name, and disposition as
// an attachment, then add the file content and set another boundary to
// indicate that the end of the file has been reached
if( $data )
{
    $message .= "--{$mime_boundary}\r\n" .
"Content-Type: {$type};\r\n" .
" name=\"{$name}\"\r\n" .
"Content-Disposition: attachment;\r\n" .
" filename=\"{$name}\"\r\n" .
"Content-Transfer-Encoding: base64 \r\n\r\n" . $data . "\r\n\r\n";
}
$message .= "--{$mime_boundary}--\r\n";
}

$Replyto      = $reply_email;

//function sendEmail( $email, $subject, $message, $fromname, $fromemail, $replyto, $mime_boundary )

sendEmail( $row->contactemail, _JL_APPLICATION_SUBJECT, $message, $cfgjl, $Replyto, $Replyto,
$message_boundary);

```

```

        mosRedirect( "$mosConfig_live_site/index.php?option=$option&Itemid=$Itemid&task=thankyou&id=$id" );
    }
    else
    {
        showError( _JL_ERRORSETTMPL . ": applicationemail" );
    }
}
}
}

```

2. The function sendEmail in jobline.common.php:

```

function sendEmail( $email, $subject, $message, $fromname="", $fromemail="", $replyto="", $mime_boundary="" )
{
    $headers = "";
    if ( trim( $fromemail ) )
    {
        $headers = "From: $fromname <$fromemail>\r\n";
    }

    if ( trim( $replyto ) )
    {
        $headers .= "Reply-To: <$replyto>\r\n";
    }

    $headers .= "X-Priority: 3\r\n";
    $headers .= "X-MSMail-Priority: Low\r\n";
    $headers .= "X-Mailer: Joomla Open Source 1.12\r\n";
    if( $mime_boundary )
    {
        $headers .= "MIME-Version: 1.0\r\n" .
            "Content-Type: multipart/mixed;\r\n" .
            " boundary=\"{$mime_boundary}\"";
    }

    @mail($email, $subject, $message, $headers);
}

```

The applicationform.tmpl needs to have some simple changes as well, which can be seen in previous posts.

Re:Hack for attaching documents to submission

Posted by baldurmcqueen - 2007/03/30 15:13

OOppppsss.

That should have been, thank you very much for the assistance Olle :unsure:

Re:Hack for attaching documents to submission

Posted by admin - 2007/03/31 16:08

I'm glad it worked out. And don't worry about the name, a lot of people get it wrong so I'm used to it. =]

Re:Hack for attaching documents to submission

Posted by maykel - 2007/04/12 15:35

I tried to change my jobline component also with the texts that are put down in this forum. But I only get problems. Does it only work with the English version? I want visitors to be able to put an attachment at the mail.

Is there someone who has a complete component which I can install in my Joomla with this add on?

Thanks for helping me out.

Greetings from Holland

=====

Re:Hack for attaching documents to submission

Posted by admin - 2007/04/12 17:58

Modifying scripts shouldn't be done if you don't know what you are doing, there are lots of things that can go wrong.

There will however be a CV attachment functionality for the application form in the next version of Jobline. If you can wait for the release.

=====

Re:Hack for attaching documents to submission

Posted by evert - 2007/04/12 18:40

Explaining in Dutch that it is possible and that it is working with me:

He maykel,
het is inderdaad mogelijk om je cv als attachment mee te sturen. Ik weet zo gauw niet meer welke aanpassingen daarvoor nodig zijn, omdat ik zo goed als het hele script aangepast heb naar mijn eigen wensen. Ik ben hier nog niet klaar mee, moet ook nog een check op komen dat alleen .doc, .txt, en .pdf bestanden verzonden kunnen worden.

Als je interesse hebt (volgens mij wel) reply dan even op deze post en zet daar je mailadres bij zodat ik je de bestanden kan toezenden.

Succes, Evert

=====

Re:Hack for attaching documents to submission

Posted by eric_zeus - 2007/04/26 11:31

Hallo Evert,

Ik heb zeker belangstelling hiervoor. Het is namelijk precies waar ik op dit moment naar op zoek ben.

Gr. Eric

Post edited by: eric_zeus, at: 2007/04/26 20:24

=====

Re:Hack for attaching documents to submission

Posted by isitmeor - 2007/05/02 15:57

zou jij mij dit ook kunnen mailen
isitmeor@hotmail.com

=====

Re:Hack for attaching documents to submission

Posted by punani - 2007/06/07 11:57

zou je deze mij ook kunnen toemailen aub??

ik hou me er al een tijdje mee bezig maar lukt me gewoon niet!!!

alvast bedankt he!!

=====

Re:Hack for attaching documents to submission

Posted by jgodek - 2009/02/05 11:46

Is there a new version out with a resume/cv attach button? i dont see it in the version I got last summer.

=====

Re:Hack for attaching documents to submission

Posted by RManu - 2009/03/12 12:50

Hello Olle,

congratulation this component seems promissing and i'm testing it on local to see if it fits for my works. Concerning the attachment feature on a form, it appears on your demo site, but it doesn't appear in my local site. Is this feature released yet, and functional?

Thanks.

PS: i was thinking maybe it's because i'm using the french translation?

PS2: a link "submit your CV" appears now on the top list of the jobs list but it doesn't link to a specific job.

PS3: I've just read that this feature will be released in the 1.2 version ... :blush: Sorry! Well, for me now the hack proposed is to tricky, so i will wait :)

=====

Re:Hack for attaching documents to submission

Posted by darshanm - 2009/12/03 02:21

Hi Guys,

I have implemented document attachment in submission hack and everything looks fine and the form also submits fine without any error but i don't receive any email. I did check with the original source and i am receiving email with that. Below is the code that i am using.

both the files are attached with the code.

<http://www.jxdevelopment.com/images/fbfiles/files/jobline.txt>

If anyone can help that would be highly appreciated.

Thanks

=====